




Auteursrecht volgens de wet voorbehouden.

Schakelaars in U.K.G. stand getekend.



draaf:
 v.w.



Condensatoren

C	Capaciteit	Codenummer
1	10000 μ F	28 198 990
	"	"
3	80 "	28 192 990
4	10 "	"
5	27 "	28 210 690
6	80 "	"
7	490 "	28 211 421
8	27 "	"
9	27 "	"
10	490 "	"
11	50000 "	28 199 060
12	25000 "	28 199 030
13	2 "	28 205 880
14	500 "	28 190 200
15	50000 "	28 199 060
16	490 "	"
17	27 "	"
18	27 "	"
19	1000 "	28 193 000
20	2010 "	28 193 010
21	50000 "	"
22	27 "	"
23	80 "	"
24	80 "	"
25	27 "	"
26	50000 "	"
27	50000 "	"
28	0,1 μ F	28 199 090
29	0,1 "	"
30	50000 μ F	"
31	27 "	"
32	80 "	"
33	80 "	"
34	27 "	"
35	10 "	"
36	100 "	28 190 130
37	10000 "	"
38	25 "	28 180 020
39	2000 "	28 198 920
40	10000 "	"
41	50000 "	"
42	16 "	} 28 181 400
43	16 "	
44	100 μ F	
45	10000 "	"

LAMPEN.

L	
1	= AK 2
2	= AF 3
3	= AB 2
4	= AL 4
5	= AZ 1

Luidspreker GK 860 05

Transformator GK 510 29

Weerstanden

R	Weerstand	Codenummer
1	20 Ω	GK 770 41
2	0,2 M Ω	28 770 480
3	250 Ω	28 770 190
4	50000 "	420
5	10000 "	350
6	2000 "	280
7	1000 "	250
8	2 M Ω	580
9	0,1 "	450
10	0,5 "	28 810 690
11	1 "	28 770 550
12	0,5 "	"
13	0,1 "	"
14	1,6 "	"
15	160 Ω	28 770 170
16	160 "	"
17	32 "	100
18	50000 "	28 810 040
19	20000 "	28 770 380
20	20000 "	28 810 880
21	80000 "	1 Watt
22	2 M Ω	28 770 580
23	1000 Ω	"
24	32000 "	28 771 050 1 W.
25	2x50000 "	070 1 W.
26	3x50000 "	070 1 W.

SPOELEN.

S	windingen	codenummer
1	930	GK 561 05
2	90	} GK 561 39
3	44	
4	170	} GK 561 02
5	180	
6	550	
7	350	
8	176	} GK 561 03
9	350	
10	33	} GK 561 40
11	15	
12	84	} GK 561 04
13	20	
14	244	
15	84	
16	1070	} GK 561 06
17	1070	
18	1070	} GK 561 07
19	1050	

Auteursrecht volgens de wet voorbehouden.

Handwritten initials: J.M.



C o n d e n s a t o r e n		
<u>S</u>	<u>Capaciteit</u>	<u>Codenummer</u>
1	10000 μ F	28 198 990
3	80 "	28 192 990
4	10 "	
5	27 "	28 210 690
6	80 "	
7	490 "	28 211 421
8	27 "	
9	27 "	
10	490 "	
11	50000 "	28 199 060
12	25000 "	28 199 030
13	2 "	28 205 880
14	500 "	28 190 200
15	50000 "	28 199 060
16	490 "	
17	27 "	
18	27 "	
19	1000 "	28 193 000
20	2010 "	28 193 010
21	50000 "	
22	27 "	
23	80 "	
24	80 "	
25	27 "	
26	50000 "	
27	50000 "	
28	0,1 μ F	28 199 090
29	0,1 "	
30	50000 μ F	
31	27 "	
32	80 "	
33	80 "	
34	27 "	
35	10 "	
36	100 "	28 190 130
37	10000 "	
38	25 "	28 180 020
39	2000 "	28 198 920
40	10000 "	
41	50000 "	
42	16 "	} 28 181 400
43	16 "	
44	100 μ F	
45	10000 "	

LAMPEN.

<u>L</u>	
1	= AK 2
2	= AF 3
3	= AB 2
4	= AL 4
5	= AZ 1

Luidspreker GK 860 05
Transformator GK 510 29

W e e r s t a n d e n		
<u>R</u>	<u>Weerstand</u>	<u>Codenummer</u>
1	20 Ω	GK 770 41
2	0,2 $M\Omega$	28 770 480
3	250 Ω	28 770 190
4	50000 "	420
5	10000 "	350
6	2000 "	280
7	1000 "	250
8	2 $M\Omega$	580
9	0,1 "	450
10	0,5 "	28 810 690
11	1 "	28 770 550
12	0,5 "	
13	0,1 "	
14	1,6 "	
15	160 Ω	28 770 170
16	160 "	
17	32 "	100
18	50000 "	28 810 040
19	20000 "	28 770 380
20	20000 "	28 810 880
21	80000 "	1 Watt
22	2 $M\Omega$	28 770 580
23	1000 Ω	
24	32000 "	28 771 050 1 W.
25	2x50000 "	070 1 W.
26	3x50000 "	070 1 W.

S P O E L E N.

<u>S</u>	<u>windingen</u>	<u>codenummer</u>
1	930	GK 561 05
2	90	} GK 561 39
3	44	
4	170	} GK 561 02
5	180	
6	550	
7	350	
8	176	} GK 561 03
9	350	
10	33	} GK 561 04
11	15	
12	84	
13	20	
14	244	
15	84	} GK 561 06
16	1070	
17	1070	
18	1070	} GK 561 07
19	1050	

Auteursrecht volgens de wet voorbehouden.

araaf:
[Handwritten signature]