




Auteursrecht volgens de wet voorbehouden.





Nr	Omschrijving condensatoren	Code nummer	Nr	Omschrijving	Code nummer
1	keramische cond. ± 5%	10211-B	1	koolweerst. 0,25 W.	28 773 570
2	draadtrimmer	28 212 060	2	"	28 773 900
3	"	28 212 180	3	"	28 773 870
4	"	28 212 300	4	"	28 773 870
5	variabele cond.	28 212 180	5	pot. meter log. m. schak.	28 810 690
6	"	28 212 180	6	koolweerst. 0,25 W.	28 773 930
7	draadtrimmer	28 212 060	7	"	28 770 570
8	rolblokkecond.	28 201 120	8	"	28 770 170
9	"	28 201 120	9	"	28 770 850
10	mica cond.	28 190 160	10	"	28 773 990
11	variabele (cond.)	28 212 300	11	pot. meter log. z. schak.	28 810 040
12	draadtrimmer	28 212 180	12	koolweerst. 0,25 W.	28 773 990
13	"	28 212 180	13	"	28 771 040
14	"	28 212 180	14	"	28 770 350
15	mica cond. ± 1%	28 193 010	15	"	28 771 030
16	"	28 195 470	16	"	28 770 970
17	draadtrimmer	28 212 060	17	"	28 773 660
18	keramische cond. ± 5%	10211-B	18	draadweerst. 3 W.	28 802 630
19	"	10211-B	19	koolweerst. 0,25 W.	28 773 630
20	draadtrimmer	28 212 060	20	"	28 773 550
21	rolblokkecond.	28 201 150	21	"	28 773 720
22	draadtrimmer	28 212 060	22	"	28 773 700
23	keramische cond. ± 5%	10211-B			
24	"	10211-B			
25	draadtrimmer	28 212 060			
26	keramische cond. ± 5%	28 206 370			
27	"	10211-B			
28	rolblokkecond.	28 201 080			
29	keramische cond. ± 5%	10211-B			
30	electrol. cond.	28 182 240			
31	luidspr. cond. (rolbl.)	28 201 630			
32	rolblokkecond.	28 199 060			
33	"	28 199 060			
34	"	28 199 060			
35	electrol. cond.	28 182 400			
36	"	28 182 400			
37	rolblokkecond.	28 201 150			
38	"	28 201 150			
39	luidspr. cond. (rolbl.)	28 201 480			
40	keramische cond.	28 206 240			
41	"	28 206 370			



N.V. Radlofabriek en Ingenieursbureau v/h
VAN DER HEEM en BLOEMSMA

Apparaat: **KY 175**
 Onderdeels: **vervolg**
WAARDELIJST.

SCHEMA.

No. blad:

Dat: **7 Juni 1938**

S P O E L E N.

<u>S</u>	<u>aantal</u> <u>windingen</u>	<u>Codenummer</u>
1	930)	GK 561 051
2	240)	
3	141)	GK 562 010 H
4	740)	
5	360)	
6	20)	GK 562 020
7	10)	
8	141)	
9	350)	
10	9,5)	GK 562 030
11	8)	
12	84)	
13	23)	
14	282)	
15	84)	
16	1090)	GK 562 042
17	1090)	
18	2x560)	GK 562 052 G
19	1160)	
20	3200)	GK 510 710
21	86)	
22		
23	460+63+84+230+83+84	GK 510 730 G
24	2x1200)	
25	17)	
26	27)	

Auteursrecht voigertis de wet voorbehouden.