


B 201-202-203-204  
B 208-451  
B 101-102  
B 403  
B 305-452  
B 207  
B 404  
B 301  
B 209





**VERT. DEFLECTIE JUK**

**MEATPOINT**

**freq.**

max.

min.

MAT.



## Schema

### KY432U

Opgev.	25.00
Voorbew.	25.00
Nabew.	25.00
Glabew.	25.00
25+0.2	

VAN DER HEEM N.V. - DEN HAAG - HOLLAND





MAT.		BEHAND.	
<b>Schema</b>		SCHAAL	FORMAAT A. 2
<b>KY432U</b>		MATEN IN mm.	EUROP. PROJ.
<ul style="list-style-type: none"> <li>⊞ Opgew. 25,00 ± 0,5</li> <li>⊞ Voorbew. 25,00 ± 0,2</li> <li>⊞ Nabew. 25,00 ± 0,05</li> <li>⊞ Gladbew. 25,00 ± 0,02</li> <li>⊞ 25,00 ± 0,005</li> <li>⊞ 25,00 ± 0,2</li> <li>⊞ 25,00 ± 0,0</li> </ul>	CGDE Nr. <b>T.V. 1437</b>	LAATSTE WIJZ. 1 12-2-'54 2 5-4-'54 3 16-9-'54 4 10-11-'54	
VAN DER HEEM N.V. - DEN HAAG - HOLLAND		GET. C.H.	DAT. 24-12-'53