

# ERRES




RADIO



ERRES



RADIO



ERRES



RADIO

all transistor

ERRES

portable radios



# Carry your happiness with you!

ERRES designers have succeeded to develop a portable radio which not only has excellent acoustical properties but is also presented in a small and handy cabinet.

Thanks particularly to these features this ERRES portable offers full, strong and undistorted sound reproduction.

The sporty looks and yet solid construction of these portables make them the ideal set to use on camping and hiking trips, in the woods, on the beach or in the mountains.

This portable also comes in handy as a second radio in your home and this ERRES portable is the ideal set for your kitchen, bedroom, sitting room or study. The large size speaker is your guarantee for perfect sound reproduction.

The frame type aerial guarantees you perfect and crystal clear reception of all weak stations on the SW band.

Summing up, these portable ERRES radios open up a wide field of new possibilities each of which will add to your listening pleasure.



# The clock type dial

The illustration shows the widely praised clock type dial, a feature that has once again been incorporated in a number of ERRES sets.

This clock type dial with its special precision tuner enables you to tune in to any station of your choice on the various wavebands. Very soon you will find that this system cannot be beaten for convenience and practical use.



3-band all-transistor portable (7 transistors)



Transistors and diodes:

7 + 2

Skinplate housing with white polystyrol lid and bottom dimensions: 10½" x 5¾" x 3½"

Waveranges:

MW 187—555 m SW 19— 64 m

Technical data:

loudspeaker 4" x 4" -2 push-buttons for waveband selection — ferrite aerial  $6\sqrt[3]{4}$ " — outside frame aerial — power supply by 4 flashlight cells 1,5 V — output 350 mW — — printed circuit tropicalised.

# RA 620.1 P ERRES

RA 601.1 P

Transistors and diodes:

7 + 2

Cabinet:

Leatherette rear cover with plastic front

Dimensions:

11½" x 7½" x 4"

Waveranges:

MW 185—585 m SW 2 35— 84 m SW 1 13— 36 m

Technical data:

Oval electrodynamical loud-speaker of 6" x 4" — 4 push-buttons for on/off and waveband selection - ferrite aeria! (8") — connections for outside aerials (f.i. for use in a motorcar) convertible frame aerial on the outside of the set power supply by 6 dry batteries 1½ Volts (flash-lightcells) — output 600 mW - fully tropicalised.

Also available in the execution: RA 601.2 P SW 2 19— 58 m SW 1 58—170 m

MW 180-585 m

Transistors and diodes: 7 + 2

#### Cabinet:

highgloss polished wooden cabinet with plastic front; dimensions 14" x 8" x 5"

#### Waveranges:

MW 182 -580 m SW 2 40 -130 m SW 1 13.3-41 m

#### Technical data:

Elliptical quality loudspeaker 6" x 4" - built-in ferrite aerial and collapsable outside frame gerial connections for outside aerial. earth and gramophone power supply by 5 flashlight cells 1,5 V - printed circuit - output 600 mW tropicalised.

# RA 622.1 AT ERRES RA 623.1 AT

Transistors and diodes: 7 + 2

#### Cabinet:

attractive plastic cabinet dimensions 16" x 9" x 6"

#### Waveranges:

SW 2 37-107 m SW 1 13- 38,5 m

#### Technical data:

Elliptical quality loudspeaker 6" x 4" - 5 push-buttons for on/off, tone and 3 waveranges - built-in ferrite and capacitive aerials - connections for outside aerial and gramophone - power supply by 6 flashlight cells 11/2 V in sealed compartment output 600 mW - printed

#### CORDLESS

3-band all transistor receiver (7 transistors)



The mere fact that this small size set of highly balanced design is presented in an attractive walnut cabinet is your augrantee for top performance in this category.

Sound reproduction — the set has a large size speaker — is perfect.

The grip fits in the rear panel of the set which makes for easy handling. A large dial with precision tuner ensures razor sharp tuning on the MW band as well as on the two SW bands.

In addition, this set is provided with a connection for a record player while the highspeed charger enables you to replace batteries in a jiffy.



# **CORDLESS**

3-band all transistor receiver (7 transistors)



Other features are: grip in rear panel, continuc only if volume button is depressed to save batter tery tensionmeter/tuning indicator. Finally there i perb sound reproduction.

Here it is: the slim lined receiver in the lower price

It may be inexpensive but it has flywheel tuning

feature — its ample dimensions suggest that this

these days.

4-band all transistor receiver (7 tra



This set is basically similar to model RA 622.1 AT but of more generous dimensions; a larger cabinet, made of plastic in a modern subdued colour, push-buttons, briefly, a set with an air of distinction.

Again there is a moulded-in handle in the rear panel for easy carrying and then there is yet another feature: the

# 4-band all transistor receiver (7 transistors)



Here it is: the slim lined receiver in the lower price category which is so much in demand these days.

It may be inexpensive but it has flywheel tuning just the same and — another important feature — its ample dimensions suggest that this set is in a much higher price category. Other features are: grip in rear panel, continuous tone control, dial illumination ('on' only if volume button is depressed to save battery) and the 'radicator', a combined battery tensionmeter/tuning indicator. Finally there is the oval concert speaker offering superb sound reproduction.

Transistors and diodes:

7 + 2

#### Cabinet:

of black bakelite with beige front; dimensions: 24" x 9" x 8"

#### Waveranges:

MW 185—585 m SW 3 44—136 m SW 2 22— 44,5 m SW 1 11— 22 m

## CORDLESS

# ERRES

**RA 624.1 AT** 

#### Technical data:

Oval electrodynamical loud-speaker — 6 push-buttons for on/off, gramophone and waveband selection — tuning indicator — built-in ferrite and frame aerial — connections for outside aerial, earth gramophone and extra loud-speaker — power supply by 6 x 1½ Volt flashlightcells in sealed compartment — output 1000 mW — printed circuit — tropicalised.

Transistors and diodes:

7 + 2

Cabinet:

high gloss polished walnut cabinet;

dimensions:

201/5" x 121/5" x 8"

Waveranges:

MW 185—585 m SW 1 44—136 m SW 2 22— 44,5 m SW 3 11— 22 m

# CORDLESS ERRES RA 625.1 AT

#### Technical data:

Oval electrodynamical concert loudspeaker 8" x 6" - 6 push-buttons for on/off, gramophone and waveband selection - 5 push-buttons for news-cast, concert, dial, local and battery tuning/battery-tensionmeter - built-in ferrite and capacitive aerials connections for outside aerial, earth, gramophone and extra speaker - power supply by 6 x 1,5 Volt flashlight cells in separate compartments --output 1000 mW tropicalised.

# 4-band all transistor receiver (7 transistors)



This is the super set of the ERRES all transistor series. It has 7 transistors and two diodes, a very ample output and unmatched sound reproduction due to the splendid wooden cabinet and carefully balanced tonal qualities.

The push-buttons to select from 4 wave bands and record player, the 5 extra push-buttons to select sound quality, a 'radicator' and a dial illumination that may be switched off make this set a real asset — for you and the entire family.



# 2-band mains receiver with 4 tu

This ERRES receiver has that modern, clean line that he distinction and its fine colour accents and sleek form will The interior harmonizes perfectly with the up-to-date define right type of tone control ensures a sound reproduct To select the wave bands, just push the corresponding To ensure faultless SW reception, this set has been proving gives you the highly sensitive reception required for the

# 4-band mains receiver with 6 tu

This set embodies the very latest technical, esthetical  $\varepsilon$  into a harmonious whole.

The cabinet has a flow of lines that is easy on the eyes any setting. In addition, it has been adapted to meet thand age.

The elliptically shaped concert speaker and the 3-D aclistening pleasure.

The built-in frame and ferrite rod aerials are highly ser





### 2-band mains receiver with 4 tubes

This ERRES receiver has that modern, clean line that has become so popular wherever you go. It is a set with distinction and its fine colour accents and sleek form will satisfy the needs of all customers.

The interior harmonizes perfectly with the up-to-date design, an amply dimensioned oval speaker combined with the right type of tone control ensures a sound reproduction that will suit your personal tastes and preferences. To select the wave bands, just push the corresponding button.

To ensure faultless SW reception, this set has been provided with a built-in frame aerial whilst a ferrite rod aerial gives you the highly sensitive reception required for the MW range.

# 4-band mains receiver with 6 tubes

This set embodies the very latest technical, esthetical and functional features which have been happily blended into a harmonious whole.

The cabinet has a flow of lines that is easy on the eyes without, however, being too 'far out' and is an asset in any setting. In addition, it has been adapted to meet the specific demands of the technical progress of this day and age.

The elliptically shaped concert speaker and the 3-D acoustical channels on the sides guarantee you unmatched listening pleasure.

The built-in frame and ferrite rod aerials are highly sensitive and ensure perfect reception.



This model is also available in the battery-version KY 594.3 B, which is suitable for connection to a 90 V-1  $\frac{1}{2}$  V battery.

Waveranges:

TW 730 - 2040 m MW 185 - 575 m SW 1 13 - 44 m SW 2 44 - 137 m Tubes:

Cabinet: of polystyrol material; dimensions 12½"x8½":

Waveranges: MW 185—575 m SW 25— 94 m

Technical data: Oval quality loudspeake 6" x 4" - 3 push-butto waveband- and tone sel — large built-in ferrite - built-in capacitive a for fine reception on S connection for outside - tone adjustment by means of a push-button printed circuit suitable for connection t 220-240 volts AC/DC output 1300 mW fully tropicalised. This model is also availa in the battery-version KY 592.1.B, which is su for connection to a 90V-11/2V battery.

# KY 592.1 ERRE KY 594.1

Tubes:

Cabinet:

attractive polystyrol cab

dimensions: 18" x 10" x 81/4"

Waveranges:

MW 185—575 m SW 3 44—136 m SW 2 22— 44,5 m SW 1 11— 22 m

SW 1 11— 22
Technical data:
Elliptical quality
loudspeaker and 3-D

Elliptical quality loudspeaker and 3-D acoustical channels at t sides — 6 push-buttons waveband selection and gramophone — tone c with indicator — tuning indicator — built-in capand ferrite aerials — connections for outside gramophone, extra loucker — suitable for ope on 90/240 volts A.C. output 2500 mW — printed circuit — tropica

Tubes: 4 with 8 functions

Cabinet:

attractive cabinet; dimensions: 15" x 9" x 6"

Waveranges:

SW 1 13-40 m SW 2 40-140 m WM 185-570 m

Technical data:

Elliptical loudspeaker 6" x 4" - 5 push-buttons for waveband selection, tone and gramophone - built-in capacitive and ferrite aerials - connections for outside aerial and gramophone suitable for operation on 90-250 volts A.C. - output 1500 mW - printed circuit - tropicalised.

This model is also available in the cordless all transistor version type KY 603.2 AT.

Waveranges:

LW 730-2000 m MW 185- 575 m 24- 87 m

# KY 603.1 ERRES RA 623.1

Tubes:

5 with 8 functions

Cabinet:

attractive polystyrol cabinet; dimensions: 16" x 9" x 6"

Waveranges:

MW 185-575 m SW 2 40-140 m SW 1 13-40 m

#### Technical data:

Elliptical quality loudspeaker - 5 push-buttons for on/off, tone and waveband selection - bandspread - built-in capacitive and ferrite aerials - connections for outside aerial and gramophone suitable for operation on 90/240 Volts A.C. - output 2300 mW - printed circuit tropicalised.

3-band mains reiceiver with 4 tubes



An excellent ERRES design of outstanding technical qualities. The set is provided with a relatively large size speaker ensuring and undistorted sound reproduction.

Furthermore, there are five push-buttons to select wavebands, record player and sound quality.

Again the built-in frame and ferrite rod aerials ensure a high sensitivity.

3-band mains receiver with 5 tubes



In the same range there is a set for those who prefer a modern and smooth design: the ERRES RA 623.1. With its ample cabinet of quiet colours and big tuning dial this set is a first-class receiver for the buyer of



# 4-band mains receiver with 6 tu

A medium class mains receiver with the allure of a top asymmetrically placed dial and controls - makes it sta Simply depress a push-button for the wave-range of yo perfect sound reproduction.

4-band mains receiver with 6 tubes



This "ERRES" receiver is a most harmonious combination



# 4-band mains receiver with 6 tubes

A medium class mains receiver with the allure of a top class radio. The popular slim lined shape — with the asymmetrically placed dial and controls — makes it stand out in any interior.

Simply depress a push-button for the wave-range of your choice. The large-size oval concert speaker ensures perfect sound reproduction.

4-band mains receiver with 6 tubes



This "ERRES" receiver is a most harmonious combination of the latest concepts of esthetical and functional design. The beautiful wooden cabinet is an asset to any home and fully adapted to meet the specific requirements of modern radio engeneering. It has a powerful undistorted sound reproduction and therefore it will be a source of ever returning listening pleasure for its owner.

Tubes: 6 with 10 functions

Cabinet:

attractive bakelite cabin dimensions: 231/2" x 9"

Waveranges:

MW 185-575 SW 3 44-136 m SW 2 22-44,5 m 11-- 22

Technical data: Elliptical quality loudspec 6" x 4" - 5 push-buttor on/off, gramophone and waveband selection — tu indicator — built-in capacitive and ferrite aeı - connections for outsid aerial, earth, gramophon extra loudspeaker and b recorder — suitable for operation on 90/240 Vol A.C. — output 3,2 Watt tropicalised.

# RA 624.1 = 25 RA 6151

Tubes: 6 with 10 functions

Cabinet:

highgloss polished walnut dimensions: 20½" x 12½" x 8"

Waveranges:

MW 185-575 SW 3 44--136SW 2 – 44,5 m 22-SW 1 11- 22

Technical data: Elliptical quality loudspeal 8" x 6" — 6 push-buttons on/off, gramophone, MW, SW 3, SW 2, SW 1 - 5 pt buttons for jazz, speech, concert, mild and mellow tuning indicator — built-i capacitive and ferrite aeri - connections for outside aerials, earth, gramophon extra loudspeaker and ba recorder - suitable for operation on 90/240 Volt A.C. — output 3,4 Watt tropicalised.

#### Tubes:

7 with 11 functions

#### Cabinet:

superbly finished high gloss walnut

#### dimensions:

221/2" x 13" x 101/2"

#### Waveranges:

MW 186 —573 m SW 4 44 —135 m SW 3 27 — 45 m SW 2 17,3— 28 m SW 1 11 — 17,6 m

# ERRES

KY 596.1

#### Technical data:

1 oval-shaped 8" x 6" concert speaker and 2 electrostatic speakers for high tone reproduction - 7 push-buttons for waveband selection and record player - 3 pushbuttons for tone selection (the proper adaption of timbre to living room and broadcast) - magic tuning indicator extra RF amplifier stage for greater sensitivity - adjustable ferrite rod aerial for better MW reception - builtin capacitive aerial for SW reception (can be switched off) - connections for outside aerial, record player, Hi-Fi speaker, extension speaker and tape recorder suitable for connection to 90-110-125-200-220 and 250 volts A/C - output 3,2 W - tropicalised.

### 5-band mains receiver with 7 tubes

A radio especially made for the exigent listener, but sold at a price which also enables many customers, including those of not too ample means, to enjoy the full richness of sound of this top quality set.

This radio, suited for the reception on 5 wave bands, has 3 built-in and 2 extension speakers, thus ensuring perfect reproduction of treble and bass which can be blended to anyone's personal liking by separate controls.

The performance of the already extremely sensitive "ERRES" radios is still stepped up in this set by an extra radiofrequency stage.

The splendid highgloss walnut cabinet will fully convince you that this is really a prize possession.





5-band mains receiver with 8 tube

# ERRES RA 628.1

The very height of technical skill!

All the latest technical and scientific fec suitable for full as well as for semi-stere. This semi-stereo system is a cleverly the working speakers so that by merely de real stereo.

In addition, this receiver has connectio full stereo reproduction.

And finally there is the handsomely fir of any home.

Tubes: 8 with 14 functions

Cabinet: highgloss polished walnut

Dimensions: 29" x 11" x 91/4"

Waveranges:

MW 186-573 m SW 4 44-135 m



5-band mains receiver with 8 tubes



# ERRES RA 628.1

The very height of technical skill!

All the latest technical and scientific features known to radio have been combined in this set which is suitable for full as well as for semi-stereo reproduction.

This semi-stereo system is a cleverly thought out arrangement of, among other things, two separately working speakers so that by merely depressing a button the same sound effect is obtained as with real stereo.

In addition, this receiver has connections for record player and tape recorder for mono as well as for full stereo reproduction.

And finally there is the handsomely finished highgloss walnut cabinet that will enhance the interior of any home.

Tubes: 8 with 14 functions

Cabinet: highgloss polished walnut

Dimensions: 29" x 11" x 91/4"

Waveranges:

MW 186-573 m

SW 4 44-135 m

SW 3 27-45 m

SW 2 17,3-28 m

SW 1 11-17,6 m

Technical data: 2 elliptical quality concert-loudspeakers 8" x 6" — push-pull output stage — 6 push-buttons for semi-stereo, conductor tone control, stereo, concert, solo and jazz — tuning indicator — built-in capacitive and ferrite aerials — tone control with indicator — connections for outside aerial and earth, gramophone and bandrecorder both for mono and stereo, connections for additional stereo speakers — suitable for operation on 90/240 Volt A.C. — output 3,5 W. — tropicalised.



# ERRESTV

Anybody who owns not only an ERRES radio

but an ERRES TV receiver as well,

will at all times be assured of the very best
in the field of sound and viewing techniques.

The ERRES TV sets

are on the same high level of quality
as the ERRES radios.

Your dealer:



Printed in the Netherlands - Any modification reserved - 6290-961 Eng.